

GetProgramStatusMessages

This method retrieves the program status messages from the publisher's inbox.

.1 Parameters

Parameter	Type	Description
CredentialToken *	String	The authentication token you receive from the method "Logon"
TimeSpan *	Enumeration	This parameter defines the timespan of the messages that ought to be retrieved. Possible values are: <ul style="list-style-type: none"> • LastLogin • Last7days • Last14days • LastMonth • Last3months
Query	String	The search query
MessagePartnershipStatus *	Enumeration	This parameter restricts the returned messages to a certain partnership status. Possible values are: <ul style="list-style-type: none"> • AllPartnerships • AllAcceptedPartnerships • AllTemporarilyAcceptedPartnerships • AllDeclinedPartnerships

.2 Return Types

PartnershipStatusMessages

Property	Type	Description
Messages	Array of PartnershipStatusMessage	List of found messages

PartnershipStatusMessage

Property	Type	Description
ActionDate	DateTime	Date when the status changed
IsPayPerClickProgram	Boolean	'true' = pay per click 'false' = different commission model
IsPayPerLeadProgram	Boolean	'true' = pay per lead 'false' = different commission model
IsPayPerSaleProgram	Boolean	'true' = pay per sale 'false' = different commission model
ProgramId	Integer	ID of the program
ProgramTitle	String	Title of the program
RejectionText	String	Reason why the application was declined
PartnershipAction	Enumeration	The type of change that has been made on the partnership. Possible values are: <ul style="list-style-type: none"> • NotFound • Null • Paused • Warning • SpecialPermission • SpecialPermissionEnd • Ok • Cancelled • Refused • Waiting • PreliminaryOk
WelcomeMessage	String	Message from the advertiser, if application was accepted